




LAYOUT DOUBLE JACKETS FS1-MO, FS-MO, AS1-MO, AS-MO, MS-MO




L13




L14




L15



L16



L17




L18

DOUBLE JACKETS FS-MO, AS-MO Ø 820–1,200 MM, MS-MO 1,000–1,200 MM

Capacity	Tank-ø	Version	Connection position	Layout	Surface	hd1	hd2	Ho	Hu	Order No.
litres	mm				m ²	mm	mm	%	%	mounted
320	820	1	A1 : A2	L13	0.5	333	-	73	21	1A1 : 1A2
525	820	1	A1 : A2	L13	0.8	500	-	74	25	1A1 : 1A2
625	820	1	A1 : A2	L13	0.8	500	-	55	14	1A1 : 1A2
750	820	1	A1 : A2	L13	0.8	500	-	52	18	1A1 : 1A2
750	820	2	B1 : B2	L14	0.8	333	-	80	58	2B1 : 2B2
1,000	820	1	A1 : A2	L15	1.1	750	-	46	8	1A1 : 1A2
1,000	820	2	B1 : B2	L16	0.8	333	-	70	53	2B1 : 2B2
1,000	820	3	B1 : B2	L16	1.2	500	-	78	53	3B1 : 3B2
650	1,000	1	A1 : A2	L13	1.0	500	-	71	16	1A1 : 1A2
850	1,000	1	A1 : A2	L13	1.0	500	-	67	24	1A1 : 1A2
1,050	1,000	1	A1 : A2	L13	1.0	500	-	60	24	1A1 : 1A2
1,250	1,000	1	A1 : A2	L13	1.0	500	-	60	30	1A1 : 1A2
1,250	1,000	2	B1 : B2	L14	1.0	333	-	73	53	2B1 : 2B2
1,400	1,000	1	A1 : A2	L15	1.0	500	-	53	26	1A1 : 1A2
1,400	1,000	2	B1 : B2	L16	1.0	333	-	78	60	2B1 : 2B2
1,550	1,000	1	B1 : B2	L17	1.0	333	-	63	39	1B1 : 1B2
1,550	1,000	2	A1 : A2	L15	1.0	500	-	42	17	2A1 : 2A2
1,800	1,000	1	B1 : B2	L17	1.5	500	-	63	42	1B1 : 1B2
1,800	1,000	2	B1 : B2	L16	1.5	500	-	79	58	2B1 : 2B2
2,000	1,000	1	B1 : B2	L17	1.5	500	-	58	38	1B1 : 1B2
2,000	1,000	2	B1 : B2	L16	1.5	500	-	73	52	2B1 : 2B2
2,200	1,000	1	B1 : B2	L17	1.9	625	-	52	31	1B1 : 1B2
2,200	1,000	2	B1 : B2	L16	1.9	625	-	69	48	2B1 : 2B2
2,350	1,000	1	B1 : B2	L17	1.9	625	-	48	28	1B1 : 1B2
2,350	1,000	2	B1 : B2	L16	1.9	625	-	72	52	2B1 : 2B2
2,500	1,000	1	B1 : B2	L18	1.9	625	-	62	43	1B1 : 1B2
1,000	1,200	1	A1 : A2	L13	1.3	500	-	71	16	1A1 : 1A2
1,300	1,200	1	A1 : A2	L13	1.3	500	-	67	24	1A1 : 1A2
1,550	1,200	1	A1 : A2	L13	1.3	500	-	60	25	1A1 : 1A2
1,800	1,200	1	A1 : A2	L13	1.3	500	-	60	30	1A1 : 1A2
1,800	1,200	2	B1 : B2	L14	1.2	333	-	73	53	2B1 : 2B2
2,000	1,200	1	A1 : A2	L15	1.3	500	-	55	27	1A1 : 1A2
2,000	1,200	2	B1 : B2	L17	1.2	333	-	70	51	2B1 : 2B2
2,100	1,200	1	A1 : A2	L15	1.3	500	-	52	26	1A1 : 1A2
2,100	1,200	2	B1 : B2	L17	1.2	333	-	67	49	2B1 : 2B2
2,350	1,200	1	A1 : A2	L15	1.6	625	-	45	16	1A1 : 1A2
2,350	1,200	2	B1 : B2	L16	1.8	500	-	76	53	2B1 : 2B2
2,500	1,200	1	A1 : A2	L15	2.0	750	-	50	17	1A1 : 1A2
2,500	1,200	2	B1 : B2	L17	1.8	500	-	62	39	2B1 : 2B2
2,650	1,200	1	A1 : A2	L15	2.0	750	-	47	17	1A1 : 1A2
2,650	1,200	2	B1 : B2	L16	1.8	500	-	70	47	2B1 : 2B2
3,000	1,200	1	A1 : A2	L15	2.0	750	-	43	16	1A1 : 1A2
3,000	1,200	2	B1 : B2	L16	1.8	500	-	74	54	2B1 : 2B2
3,200	1,200	1	B1 : B2	L17	2.3	625	-	52	31	1B1 : 1B2

CONNECTION POSITIONS DOUBLE JACKETS FS-MO, AS-MO, MS-MO




DOUBLE JACKETS FS-MO, AS-MO Ø 1,200–1,600 MM, MS-MO 1,200–1,600 MM

Capacity litres	Tank-Ø mm	Version	Connection position	Layout	Surface m ²	hd1 mm	hd2 mm	Ho %	Hu %	Order No. mounted
3,200	1,200	2	B1 : B2	L16	2.3	625	-	69	48	2B1 : 2B2
3,500	1,200	1	B1 : B2	L17	2.3	625	-	48	28	1B1 : 1B2
3,500	1,200	2	B1 : B2	L16	2.3	625	-	73	52	2B1 : 2B2
3,750	1,200	1	B1 : B2	L18	2.3	625	-	59	41	1B1 : 1B2
4,000	1,200	1	B1 : B2	L18	2.8	750	-	59	38	1B1 : 1B2
4,300	1,200	1	B1 : B2	L18	3.7	1,000	-	61	36	1B1 : 1B2
4,600	1,200	1	B1 : B2	L18	3.7	1,000	-	64	40	1B1 : 1B2
1,400	1,400	1	A1 : A2	L13	1.6	500	-	76	17	1A1 : 1A2
1,750	1,400	1	A1 : A2	L13	1.6	500	-	70	24	1A1 : 1A2
2,150	1,400	1	A1 : A2	L13	1.6	500	-	61	25	1A1 : 1A2
2,500	1,400	1	A1 : A2	L13	1.6	500	-	60	30	1A1 : 1A2
2,500	1,400	2	B1 : B2	L14	2.2	500	-	87	53	2B1 : 2B2
2,850	1,400	1	A1 : A2	L15	1.6	500	-	53	27	1A1 : 1A2
2,850	1,400	2	B1 : B2	L16	2.2	500	-	90	60	2B1 : 2B2
3,000	1,400	1	A1 : A2	L15	2.0	625	-	47	16	1A1 : 1A2
3,000	1,400	2	B1 : B2	L16	2.2	500	-	80	53	2B1 : 2B2
3,200	1,400	1	A1 : A2	L15	2.0	625	-	47	18	1A1 : 1A2
3,200	1,400	2	B1 : B2	L16	2.2	500	-	78	53	2B1 : 2B2
3,600	1,400	1	A1 : A2	L15	2.0	625	-	45	20	1A1 : 1A2
3,600	1,400	2	B1 : B2	L16	2.2	500	-	70	47	2B1 : 2B2
4,000	1,400	1	A1 : A2	L15	2.4	750	-	43	15	1A1 : 1A2
4,000	1,400	2	B1 : B2	L16	2.2	500	-	73	52	2B1 : 2B2
4,400	1,400	1	B1 : B2	L17	2.7	625	-	52	31	1B1 : 1B2
4,400	1,400	2	B1 : B2	L16	2.7	625	-	70	48	2B1 : 2B2
4,750	1,400	1	B1 : B2	L17	2.7	625	-	48	28	1B1 : 1B2
4,750	1,400	2	B1 : B2	L16	2.7	625	-	73	52	2B1 : 2B2
5,100	1,400	1	B1 : B2	L18	3.2	750	-	63	41	1B1 : 1B2
5,500	1,400	1	B1 : B2	L18	3.2	750	-	59	38	1B1 : 1B2
5,850	1,400	1	B1 : B2	L18	4.3	1,000	-	62	36	1B1 : 1B2
6,300	1,400	1	B1 : B2	L18	4.3	1,000	-	64	40	1B1 : 1B2
6,700	1,400	1	B1 : B2	L18	4.3	1,000	-	60	37	1B1 : 1B2
1,800	1,600	1	A1 : A2	L13	1.9	500	-	70	17	1A1 : 1A2
2,300	1,600	1	A1 : A2	L13	1.9	500	-	66	25	1A1 : 1A2
2,800	1,600	1	A1 : A2	L13	1.9	500	-	60	25	1A1 : 1A2
3,300	1,600	1	A1 : A2	L13	1.9	500	-	53	24	1A1 : 1A2
3,800	1,600	1	A1 : A2	L15	2.9	750	-	53	15	1A1 : 1A2
3,800	1,600	2	B1 : B2	L16	2.5	500	-	89	60	2B1 : 2B2
4,200	1,600	1	A1 : A2	L15	2.9	750	-	47	13	1A1 : 1A2
4,200	1,600	2	B1 : B2	L16	3.1	625	-	85	53	2B1 : 2B2
4,800	1,600	1	A1 : A2	L15	2.9	750	-	47	17	1A1 : 1A2
4,800	1,600	2	B1 : B2	L16	3.1	625	-	86	58	2B1 : 2B2
5,200	1,600	1	A1 : A2	L15	2.9	750	-	43	15	1A1 : 1A2
5,200	1,600	2	B1 : B2	L16	3.1	625	-	78	52	2B1 : 2B2

Open top tanks · Closed tanks · Tanks for mixing, transportation and storage · Tanks for red wine · Pressure tanks/Black Eye · Cooling and heating · Accessories


LAYOUTS DOUBLE JACKETS FS-MO, AS-MO, MS-MO, FD-MBT



DOUBLE JACKETS FS-MO, AS-MO Ø 1,600–1,800 MM, MS-MO 1,600–1,800 MM

Capacity litres	Tank-ø mm	Version	Connection position	Layout	Surface m ²	hd1 mm	hd2 mm	Ho %	Hu %	Order No. mounted
5,800	1,600	1	A1 : A2	L15	3.8	1,000	-	50	16	1A1 : 1A2
5,800	1,600	2	B1 : B2	L16	3.7	750	-	73	48	2B1 : 2B2
6,200	1,600	1	A1 : A2	L15	3.8	1,000	-	46	14	1A1 : 1A2
6,200	1,600	2	B1 : B2	L16	3.7	750	-	77	52	2B1 : 2B2
6,700	1,600	1	B1 : B2	L18	3.7	750	-	63	41	1B1 : 1B2
7,200	1,600	1	B1 : B2	L18	3.7	750	-	59	38	1B1 : 1B2
7,700	1,600	1	B1 : B2	L18	4.9	1,000	-	61	36	1B1 : 1B2
8,200	1,600	1	B1 : B2	L18	4.9	1,000	-	64	40	1B1 : 1B2
8,700	1,600	1	B1 : B2	L18	4.9	1,000	-	60	38	1B1 : 1B2
9,200	1,600	1	B1 : B2	L18	6.2	1,250	-	62	35	1B1 : 1B2
9,700	1,600	1	B1 : B2	L19	4.9	1,000	-	51	31	1B1 : 1B2
9,700	1,600	2	B1 : B2	L20	4.9	1,000	-	78	56	2B1 : 2B2
9,700	1,600	3	B3 : B4	L21	7.4	750	750	69	29	3B3 : 3B4
10,000	1,600	1	B1 : B2	L19	4.9	1,000	-	49	30	1B1 : 1B2
10,000	1,600	2	B3 : B4	L20	4.9	1,000	-	74	54	2B3 : 2B4
10,000	1,600	3	B3 : B4	L21	7.4	750	750	66	27	3B3 : 3B4
2,400	1,800	1	A1 : A2	L13	2.3	500	-	70	18	1A1 : 1A2
3,000	1,800	1	A1 : A2	L13	2.3	500	-	66	25	1A1 : 1A2
3,600	1,800	1	A1 : A2	L13	2.3	500	-	60	26	1A1 : 1A2
4,200	1,800	1	A1 : A2	L13	2.3	500	-	59	30	1A1 : 1A2
4,200	1,800	2	B1 : B2	L14	2.8	500	-	82	53	2B1 : 2B2
4,800	1,800	1	A1 : A2	L15	3.4	750	-	53	15	1A1 : 1A2
4,800	1,800	2	B1 : B2	L16	2.8	500	-	85	60	2B1 : 2B2
5,500	1,800	1	A1 : A2	L15	3.4	750	-	47	13	1A1 : 1A2
5,500	1,800	2	B1 : B2	L16	3.5	625	-	81	53	2B1 : 2B2
6,100	1,800	1	A1 : A2	L15	3.4	750	-	47	17	1A1 : 1A2
6,100	1,800	2	B1 : B2	L16	3.5	625	-	73	47	2B1 : 2B2
6,700	1,800	1	A1 : A2	L15	4.5	1,000	-	48	11	1A1 : 1A2
6,700	1,800	2	B1 : B2	L16	4.2	750	-	80	52	2B1 : 2B2
7,300	1,800	1	A1 : A2	L15	4.5	1,000	-	50	16	1A1 : 1A2
7,300	1,800	2	B1 : B2	L16	4.2	750	-	73	48	2B1 : 2B2
8,000	1,800	1	A1 : A2	L15	4.5	1,000	-	46	15	1A1 : 1A2
8,000	1,800	2	B1 : B2	L16	4.2	750	-	77	52	2B1 : 2B2

CONNECTION POSITIONS DOUBLE JACKETS FS-MO, AS-MO, MS-MO, FD-MBT




DOUBLE JACKETS FS-MO, AS-MO Ø 1,800–2,000 MM, MS-MO 1,800–2,000 MM, FD-MBT 2,000 MM

Capacity litres	Tank-ø mm	Version	Connection position	Layout	Surface m ²	hd1 mm	hd2 mm	Ho %	Hu %	Order No mounted
8,500	1,800	1	B1 : B2	L18	4.2	750	-	63	41	1B1 : 1B2
9,200	1,800	1	B1 : B2	L18	5.6	1,000	-	65	38	1B1 : 1B2
9,800	1,800	1	B1 : B2	L18	5.6	1,000	-	61	36	1B1 : 1B2
10,400	1,800	1	B1 : B2	L18	5.6	1,000	-	64	40	1B1 : 1B2
11,000	1,800	1	B1 : B2	L18	6.9	1,250	-	66	37	1B1 : 1B2
11,600	1,800	1	B1 : B2	L18	6.9	1,250	-	62	36	1B1 : 1B2
12,200	1,800	1	B3 : B4	L21	8.3	750	750	69	29	1B3 : 1B4
12,800	1,800	1	B3 : B4	L21	8.3	750	750	65	27	1B3 : 1B4
13,500	1,800	1	B3 : B4	L21	8.3	750	750	67	31	1B3 : 1B4
14,000	1,800	1	B3 : B4	L21	8.3	750	750	69	29	1B3 : 1B4
14,700	1,800	1	B3 : B4	L21	11.0	1,000	1,000	70	28	1B3 : 1B4
15,300	1,800	1	B3 : B4	L21	11.0	1,000	1,000	67	27	1B3 : 1B4
3,000	2,000	1	A1 : A2	L13	2.6	500	-	69	19	1A1 : 1A2
3,800	2,000	1	A1 : A2	L13	2.6	500	-	55	26	1A1 : 1A2
4,600	2,000	1	A1 : A2	L13	2.6	500	-	60	26	1A1 : 1A2
5,200	2,000	1	A1 : A2	L13	3.8	750	-	60	17	1A1 : 1A2
5,300	2,000	1	A1 : A2	L13	3.8	750	-	60	17	1A1 : 1A2
6,000	2,000	1	A1 : A2	L15	3.8	750	-	53	15	1A1 : 1A2
6,000	2,000	2	B1 : B2	L16	3.9	625	-	91	59	1B1 : 1B2
6,100	2,000	1	A1 : A2	L15	3.8	750	-	53	15	1A1 : 1A2
6,100	2,000	2	B1 : B2	L16	3.9	625	-	91	59	2B1 : 2B2
6,700	2,000	1	A1 : A2	L15	3.8	750	-	47	13	1A1 : 1A2
6,700	2,000	2	B1 : B2	L16	3.9	625	-	91	59	1B1 : 1B2
6,800	2,000	1	A1 : A2	L15	3.8	750	-	47	13	1A1 : 1A2
6,800	2,000	2	B1 : B2	L16	3.9	625	-	81	53	2B1 : 2B2
7,600	2,000	1	A1 : A2	L15	5.1	1,000	-	53	12	1A1 : 1A2
7,600	2,000	2	B1 : B2	L16	4.7	750	-	78	47	2B1 : 2B2
8,300	2,000	1	A1 : A2	L15	5.1	1,000	-	48	12	1A1 : 1A2
8,300	2,000	2	B1 : B2	L16	4.7	750	-	80	52	1B1 : 1B2
8,400	2,000	1	A1 : A2	L15	5.1	1,000	-	48	12	1A1 : 1A2
8,400	2,000	2	B1 : B2	L16	4.7	750	-	80	52	2B1 : 2B2
9,200	2,000	1	A1 : A2	L15	5.1	1,000	-	52	19	1A1 : 1A2
9,200	2,000	2	B1 : B2	L16	6.2	1,000	-	81	48	2B1 : 2B2
9,800	2,000	1	A1 : A2	L15	5.1	1,000	-	48	17	1A1 : 1A2
9,800	2,000	1	B1 : B2	L16	6.2	1,000	-	83	52	1B1 : 1B2
10,000	2,000	1	A1 : A2	L15	5.1	1,000	-	48	17	1A1 : 1A2
10,000	2,000	2	B1 : B2	L16	6.2	1,000	-	83	52	2B1 : 2B2
10,600	2,000	1	B1 : B2	L18	6.2	1,000	-	63	34	1B1 : 1B2
11,400	2,000	1	B1 : B2	L18	6.2	1,000	-	65	28	1B1 : 1B2
12,200	2,000	1	B1 : B2	L18	6.2	1,000	-	61	36	1B1 : 1B2
13,000	2,000	1	B1 : B2	L18	6.2	1,000	-	63	40	1B1 : 1B2
13,700	2,000	1	B1 : B2	L18	7.8	1,250	-	65	38	1B1 : 1B2
14,500	2,000	1	B1 : B2	L18	7.8	1,250	-	62	36	1B3 : 1B4
15,200	2,000	1	B3 : B4	L21	9.3	750	750	69	29	1B3 : 1B4
16,000	2,000	1	B3 : B4	L21	9.3	750	750	66	27	1B3 : 1B4
16,800	2,000	1	B3 : B4	L21	9.3	750	750	67	31	1B3 : 1B4
17,500	2,000	1	B3 : B4	L21	12.4	1,000	1,000	69	29	1B3 : 1B4
18,300	2,000	1	B3 : B4	L21	12.4	1,000	1,000	70	28	1B3 : 1B4
19,000	2,000	1	B3 : B4	L21	12.4	1,000	1,000	67	27	1B3 : 1B4
20,000	2,000	1	B3 : B4	L22	12.4	1,000	1,000	57	22	1B3 : 1B4
20,000	2,000	2	B3 : B4	L23	12.4	1,000	1,000	76	41	2B3 : 2B4

Open top tanks
Closed tanks
Tanks for mixing, transportation and storage
Tanks for red wine
Pressure tanks/Black Eye
Cooling and heating
Accessories


LAYOUTS DOUBLE JACKETS FS1-MO, FS-MO, AS1-MO, AS-MO, MS-MO



DOUBLE JACKETS FS-MO, AS-MO Ø 820–1,200 MM, MS-MO 1,000–1,200 MM

Capacity	Tank-Ø	Version	Connection position	Layout	Surface	hd1	hd2	Ho	Hu	Order No.
litres	mm				m ²	mm	mm	%	%	mounted
320	820	2	E2	201	0.3	333	-	72	23	2E2
525	820	2	E2	201	0.6	625	-	73	15	2E2
625	820	2	E2	201	0.7	750	-	74	16	2E2
750	820	3	E2	201	0.7	750	-	68	20	3E2
1,000	820	4	E2	202	0.9	1,000	-	63	14	4E2
650	1,000	2	E2	201	0.6	500	-	70	18	2E2
850	1,000	2	E2	201	0.8	500	-	79	18	2E2
1,050	1,000	2	E2	201	1.1	1,000	-	80	12	2E2
1,250	1,000	3	E2	201	1.1	1,000	-	74	16	3E2
1,400	1,000	3	E2	202	1.1	1,000	-	66	15	3E2
1,550	1,000	3	E2	202	1.1	1,000	-	62	14	3E2
1,800	1,000	3	E5	203	1.6	750	750	90	9	3E5
2,000	1,000	3	E5	203	1.6	750	750	81	8	3E5
2,200	1,000	3	E5	203	2.2	1,000	1,000	88	6	3E5
2,350	1,000	3	E5	203	2.2	1,000	1,000	83	5	3E5
2,500	1,000	2	E5	204	2.2	1,000	1,000	73	5	2E5
1,000	1,200	2	E2	201	0.7	500	-	69	19	2E2
1,300	1,200	2	E2	201	1.0	750	-	78	19	2E2
1,550	1,200	2	E2	201	1.3	1,000	-	82	13	2E2
1,800	1,200	3	E2	201	1.3	1,000	-	74	17	3E2
2,000	1,200	3	E2	202	1.3	1,000	-	69	16	3E2
2,100	1,200	3	E2	202	1.3	1,000	-	66	16	3E2
2,350	1,200	3	E5	203	1.6	625	625	80	9	3E5
2,500	1,200	3	E5	203	1.6	625	625	87	8	3E5
2,650	1,200	3	E5	203	1.6	625	625	82	15	3E5
3,000	1,200	3	E5	203	2.6	1,000	1,000	89	7	3E5
3,200	1,200	3	E5	203	2.6	1,000	1,000	88	7	3E5

CONNECTION POSITIONS DOUBLE JACKETS FS-MO, AS-MO, MS-MO




DOUBLE JACKETS FS-MO, AS-MO Ø 1,200–1,600 MM, MS-MO 1,200–1,600 MM

Capacity litres	Tank-Ø mm	Version	Connection position	Layout	Surface m ²	hd1 mm	hd2 mm	hd3 mm	Ho %	Hu %	Order No. mounted
3,500	1,200	3	E5	203	2.6	1,000	1,000	-	83	6	3E5
3,750	1,200	2	E5	204	2.6	1,000	1,000	-	73	9	2E5
4,000	1,200	2	E5	204	2.6	1,000	1,000	-	75	15	2E5
4,300	1,200	2	E9	205	3.9	1,000	1,000	1,000	92	5	2E9
4,600	1,200	2	E9	205	3.9	1,000	1,000	1,000	93	5	2E9
1,400	1,400	2	E2	201	0.8	500	-	-	68	20	2E2
1,750	1,400	2	E2	201	1.2	750	-	-	78	20	2E2
2,150	1,400	2	E2	201	1.6	1,000	-	-	79	14	2E2
2,500	1,400	3	E2	201	1.6	1,000	-	-	73	17	3E2
2,850	1,400	3	E2	202	1.6	1,000	-	-	66	16	3E2
3,000	1,400	3	E2	202	1.6	1,000	-	-	63	16	3E2
3,200	1,400	3	E5	203	2.0	625	625	-	80	9	3E5
3,600	1,400	3	E5	203	2.0	625	625	-	82	16	3E5
4,000	1,400	3	E5	203	2.4	750	750	-	79	8	3E5
4,400	1,400	3	E5	203	2.4	750	750	-	81	7	3E5
4,750	1,400	3	E5	203	3.2	1,000	1,000	-	82	6	3E5
5,100	1,400	2	E5	204	3.2	1,000	1,000	-	73	9	2E5
5,500	1,400	2	E5	204	3.2	1,000	1,000	-	70	16	2E5
5,850	1,400	2	E9	205	3.6	750	750	750	86	5	2E9
6,300	1,400	2	E9	205	3.6	750	750	750	86	5	2E9
6,700	1,400	2	E9	205	4.4	1,000	1,000	750	87	5	2E9
1,800	1,600	2	E2	201	1.2	625	-	-	79	22	2E2
2,300	1,600	2	E2	201	1.4	750	-	-	77	21	2E2
2,800	1,600	2	E2	201	1.9	1,000	-	-	78	15	2E2
3,300	1,600	2	E2	201	1.9	1,000	-	-	74	19	2E2
3,800	1,600	3	E2	202	1.9	1,000	-	-	65	17	3E2
4,200	1,600	3	E5	203	2.4	625	625	-	79	10	3E5
4,800	1,600	3	E5	203	2.8	750	750	-	86	16	3E5
5,200	1,600	3	E5	203	2.8	750	750	-	79	15	3E5

Open top tanks · Closed tanks · Pressure tanks/Black Eye · Tanks for mixing, transportation and storage · Tanks for red wine · Accessories · Cooling and heating


LAYOUTS DOUBLE JACKETS FS-MO, AS-MO, MS-MO



DOUBLE JACKETS FS-MO, AS-MO Ø 1.600–1.800 MM, MS-MO 1.600–1.800 MM

Capacity litres	Tank-Ø mm	Version	Connection position	Layout	Surface m ²	hd1 mm	hd2 mm	hd3 mm	Ho %	Hu %	Order No. mounted
5,800	1,600	3	E5	203	3.8	1,000	1,000	-	89	15	3E5
6,200	1,600	3	E5	203	3.8	1,000	1,000	-	82	8	3E5
6,700	1,600	2	E5	204	3.8	1,000	1,000	-	73	7	2E5
7,200	1,600	2	E5	204	3.8	1,000	1,000	-	75	10	2E5
7,700	1,600	2	E9	205	4.2	750	750	750	85	16	2E9
8,200	1,600	2	E9	205	4.2	750	750	750	86	6	2E9
8,700	1,600	2	E9	205	5.2	1,000	1,000	750	87	5	2E9
9,200	1,600	2	E9	205	5.7	1,000	1,000	1,000	87	5	2E9
9,700	1,600	4	E9	206	5.7	1,000	1,000	1,000	81	5	4E9
10,000	1,600	4	E9	206	5.7	1,000	1,000	1,000	86	12	4E9
2,400	1,800	2	E2	201	1.4	625	-	-	78	22	2E2
3,000	1,800	2	E2	201	1.7	750	-	-	76	21	2E2
3,600	1,800	2	E2	201	2.2	1,000	-	-	77	15	2E2
4,200	1,800	3	E2	201	2.2	1,000	-	-	72	19	3E2
4,800	1,800	3	E5	203	2.8	625	625	-	89	12	3E5
5,500	1,800	3	E5	203	2.8	625	625	-	79	10	3E5
6,100	1,800	3	E5	203	3.4	750	750	-	86	17	3E5
6,700	1,800	3	E5	203	4.4	1,000	1,000	-	87	9	3E5
7,300	1,800	3	E5	203	4.4	1,000	1,000	-	88	8	3E5
8,000	1,800	3	E5	203	4.4	1,000	1,000	-	82	7	3E5

CONNECTION POSITIONS DOUBLE JACKETS FS-MO, AS-MO, MS-MO



DOUBLE JACKETS FS-MO, AS-MO Ø 1.800–2.000 MM, MS-MO 1.800–2.000 MM

Capacity litres	Tank-Ø mm	Version	Connection pos.	Layout	Surface m ²	hd1 mm	hd2 mm	hd3 mm	hd4 mm	hd5 mm	Ho %	Hu %	Order No. mounted
8,500	1,800	2	E5	204	4.4	1,000	1,000	-	-	-	73	10	2E5
9,200	1,800	2	E9	205	5.1	750	750	750	-	-	91	6	2E9
9,800	1,800	2	E9	205	5.1	750	750	750	-	-	85	6	2E9
10,400	1,800	2	E9	205	5.6	1,000	750	750	-	-	86	6	2E9
11,000	1,800	2	E9	205	6.1	1,000	1,000	750	-	-	87	5	2E9
11,600	1,800	2	E9	205	6.6	1,000	1,000	1,000	-	-	87	5	2E9
12,200	1,800	2	E9	206	6.6	1,000	1,000	1,000	-	-	81	12	2E9
12,800	1,800	2	E9	206	6.6	1,000	1,000	1,000	-	-	86	12	2E9
13,500	1,800	2	E12	207	8.8	1,000	1,000	1,000	1,000	-	93	4	2E12
14,000	1,800	2	E12	207	8.8	1,000	1,000	1,000	1,000	-	94	4	2E12
14,700	1,800	2	E12	207	8.8	1,000	1,000	1,000	1,000	-	98	4	2E12
15,300	1,800	2	E12	207	8.8	1,000	1,000	1,000	1,000	-	90	4	2E12
3,000	2,000	2	E2	201	1.6	625	-	-	-	-	77	24	2E2
3,800	2,000	2	E2	201	1.9	750	-	-	-	-	75	22	2E2
4,600	2,000	2	E2	201	2.5	1,000	-	-	-	-	76	16	2E2
5,300	2,000	2	E2	201	2.5	1,000	-	-	-	-	72	20	2E2
6,100	2,000	3	E5	203	3.2	625	625	-	-	-	88	13	3E5
6,800	2,000	3	E5	203	3.8	750	750	-	-	-	84	11	3E5
7,600	2,000	3	E5	203	3.8	750	750	-	-	-	85	12	3E5
8,400	2,000	3	E5	203	5.0	1,000	1,000	-	-	-	86	9	3E5
9,200	2,000	3	E5	203	5.0	1,000	1,000	-	-	-	88	9	3E5
10,000	2,000	3	E5	203	5.0	1,000	1,000	-	-	-	81	8	3E5
10,600	2,000	2	E9	205	5.7	750	750	750	-	-	89	8	2E9
11,400	2,000	2	E9	205	5.7	750	750	750	-	-	90	7	2E9
12,200	2,000	2	E9	205	6.3	1,000	750	750	-	-	84	7	2E9
13,000	2,000	2	E9	205	6.3	1,000	750	750	-	-	85	6	2E9
13,700	2,000	2	E9	205	6.9	1,000	1,000	750	-	-	86	6	2E9
14,500	2,000	2	E9	205	7.5	1,000	1,000	1,000	-	-	87	6	2E9
15,200	2,000	2	E9	206	7.5	1,000	1,000	1,000	-	-	80	13	2E9
16,000	2,000	2	E12	206	10.0	1,000	1,000	1,000	1,000	-	93	5	2E12
16,800	2,000	2	E12	207	10.0	1,000	1,000	1,000	1,000	-	93	5	2E12
17,500	2,000	2	E12	207	10.0	1,000	1,000	1,000	1,000	-	93	5	2E12
18,300	2,000	2	E12	207	10.0	1,000	1,000	1,000	1,000	-	94	4	2E12
19,000	2,000	2	E12	207	10.0	1,000	1,000	1,000	1,000	-	90	4	2E12
20,000	2,000	3	E14	208	12.5	1,000	1,000	1,000	1,000	1,000	94	4	3E14

Open top tanks · Closed tanks · Tanks for mixing, transportation and storage · Tanks for red wine · Pressure tanks/Black Eye · Cooling and heating · Accessories